

†Division of Biostatistics, School of Public Health, University of Minnesota, Minneapolis, Minnesota 55455, USA

- Goodall, J. *Symp. Zool. Soc. Lond.* **10**, 39–48 (1963).
- Whiten, A. et al. *Nature* **399**, 682–685 (1999).
- McGrew, W. C. *Chimpanzee Material Culture: Implications for Human Evolution* (Cambridge Univ. Press, Cambridge, 1992).
- McCulloch, C. E. & Searle, S. R. *Generalized, Linear, and Mixed Models* (Wiley, New York, 2000).
- Boesch, C. *Anim. Behav.* **41**, 530–532 (1991).
- Hastie, T. J. & Tibshirani, R. J. *Generalized Additive Models* (Chapman & Hall, London, 1990).
- Blote, A. W. & Van Gool, H. J. *Hum. Mov. Stud.* **17**, 133–152 (1989).
- Blote, A. W. & Van Haasteren, R. J. *Hum. Mov. Stud.* **17**, 187–205 (1989).
- Warrick, P. & Naglieri, J. J. *Ed. Psychol.* **85**, 693–701 (1993).
- Vederhus, L. & Krekling, S. *Intelligence* **23**, 33–43 (1996).
- Davis, P. L. & Rose, J. D. *Phys. Occup. Ther. Ped.* **20**, 19–42 (2000).

Supplementary information accompanies this communication on Nature's website.

Competing financial interests: declared none.

Network dynamics

## Jamming is limited in scale-free systems

A large number of complex networks are scale-free<sup>1,2</sup> — that is, they follow a power-law degree distribution. Here we propose that the emergence of many scale-free networks is tied to the efficiency of transport and flow processing across these structures. In particular, we show that for large networks on which flows are influenced or generated by gradients of a scalar distributed on the nodes, scale-free structures will ensure efficient processing, whereas structures that are not scale-free, such as random graphs<sup>3</sup>, will become congested.

Many transport processes are induced by the existence of local gradients of some entity such as chemical potential, temperature or concentration. Gradients will also naturally generate, or influence, flows in complex networks. For example, in the case of information networks, properties of the nodes (such as rate of processing and adequacy) will generate a bias (formulated as a gradient criterion) in the way information is transmitted from a node to its neighbours. Specific examples include the World Wide Web, distributed computing<sup>4</sup> and social networks with competitive dynamics<sup>5</sup>.

A simple model of a transport process begins by assuming that there are  $N$  nodes whose connections are described by a fixed substrate network,  $S$ . Associated with each node  $i$  is a non-degenerate scalar,  $h_i$ , which describes the 'potential' of the node. Then the gradient network can be constructed as the collection of directed links pointing from each node to whichever of its near-neighbours on  $S$  or itself has the highest potential. It can be shown that all non-degenerate gradient networks are forests — that is, they have no loops (except for self-loops) and consist only of trees. Furthermore, if  $S$  is a simple random graph<sup>3</sup>, in

which each pair of nodes is linked with probability  $P$ , and the scalars  $h_i$  are independent identically distributed random variables, then the distribution of the number of links pointing to each node (the in-degree distribution) becomes (equation (1); derivation to be published elsewhere)

$$R(l) = \frac{1}{N} \sum_{n=0}^{N-1} \binom{N-1-n}{l} (1 - P(1 - P)^n)^{N-1-n-l} (P(1 - P)^n)^l$$

In the limit  $N \rightarrow \infty$  and  $P \rightarrow 0$ , such that the average degree  $z \equiv NP = \text{constant} \gg 1$ , the exact degree distribution (equation (1)) becomes the power law  $R(l) \approx l^{-1}$ , with a finite-size cut-off at  $l_c = z$  (Fig. 1a). In this limit, therefore, gradient networks are scale-free. This is surprising<sup>6</sup> because the substrate  $S$  is not scale-free, and in the same limit it has a 'bell-curve' degree distribution. Alternatively, if the substrate network  $S$  is scale-free,

as in a Barabási–Albert network<sup>1</sup>, then the associated gradient network is also scale-free (Fig. 1b) and is characterized by the same exponent.

For a network  $S$ , where the flow is processed at nodes in a finite time (such as in the routing of a packet), the quality of flow processing can be quantified by considering the jamming or congestion factor, which is defined as (equation (2))

$$J = 1 - \left\langle \frac{N_{\text{receive}}}{N_{\text{send}}} \right\rangle_{\text{network}} = R(0)$$

where  $N_{\text{receive}}$  is the number of nodes that receive gradient flow and  $N_{\text{send}}$  is the number of nodes that send it. Note that  $J$  is a queuing characteristic, rather than an actual throughput measure. Certainly,  $0 \leq J \leq 1$ , with  $J = 1$  corresponding to maximal congestion (vanishing number of receivers/processors) and  $J = 0$  to no congestion. For a random substrate network, the expression of  $J$  simply follows from equations (1) and (2) which, in the large network scaling limit, where  $P$  is constant and  $N \rightarrow \infty$ , becomes

$$J(N, P) = 1 - \frac{\ln N}{N \ln \left( \frac{1}{1-P} \right)} \left[ 1 + O\left(\frac{1}{N}\right) \right] \rightarrow 1$$

where  $O(1/N)$  indicates corrections of order  $1/N$ .

Random networks therefore become maximally congested in that limit. For scale-free networks, however, the conclusion in the same limit is drastically different. In that case,  $J$  tends to a positive constant bounded away from unity — that is, scale-free networks are not prone to jamming. Figure 1c compares the congestion as a function of  $N$  for both random and scale-free substrate networks.


Zoltán Toroczkai\*, Kevin E. Bassler†

\*Center for Nonlinear Studies and Complex Systems Group, Los Alamos National Laboratory, Los Alamos, New Mexico 87545, USA  
e-mail: toro@lanl.gov

†Department of Physics, University of Houston, Houston, Texas 77204-5005, USA

- Barabási, A. L. & Albert, R. *Science* **286**, 509–512 (1999).
- Newman, M. E. J. *SIAM Rev.* **45**, 167–256 (2003).
- Bollobás, B. *Random Graphs* 2nd edn (Cambridge Univ. Press, Cambridge, 2001).
- Rabani, Y., Sinclair, A. & Wanka, R. *Proc. 39th Symp. Found. Comp. Sci.* 694–706 (1998).
- Anghel, M., Toroczkai, Z., Bassler, K. E. & Korniss, G. *Phys. Rev. Lett.* **92**, 058701 (2004).
- Lakhina, A., Byers, J. W., Crovella, M. & Xie, P. *Proc. IEEE Infocom* 03 (2003).

Competing financial interests: declared none.



**Figure 1** Degree distributions of gradient networks and jamming. **a**, Comparison between the exact formula (equation (1), green line) and numerical simulations (ellipses). Here  $N = 1,000$ ,  $P = 0.1$  ( $z = 100$ ); slope (dashed red line) is  $-1$ . **b**, Degree distributions of the gradient network and the substrate, when the substrate is a Barabási–Albert scale-free graph with parameter  $m$  (for  $m = 1$ , in black:  $R(l)$ , circles;  $P(k)$ , full line. For  $m = 3$ , in purple:  $R(l)$ , diamonds;  $P(k)$ , dashed line);  $N = 10^5$ . **c**, Jamming coefficient  $J$  for random graphs (circles,  $P = 0.05$ ; diamonds,  $P = 0.1$ ; orange line,  $P = 0.05$ , exact expression; red line,  $P = 0.1$ , exact expression) and scale-free networks (pink,  $m = 1$ ; green,  $m = 3$ ). Each data point is the average of  $10^4$  runs in **a** and  $10^3$  runs in **b**.

brief communications arising online

www.nature.com/bca

Pathology: Whales, sonar and decompression sickness

C. A. Piantadosi & E. D. Thalmann

(doi:10.1038/nature02527)

Reply: A. Fernández et al.

(doi:10.1038/nature02528)